

Materiale: NBR, VITON
Material: NBR, VITON

Esempio di ordinativo: 712 Codice USA / NBR o VITON (indicare il materiale desiderato)
Example of purchasing order: 712 USA Code / NBR or VITON (write desired material)


712 Corda

712 Disponibili in Corda
712 Material available in Rope shape

Esempio di ordinativo: 712Corda
Example of purchasing order: 712Corda

Codice/Code	1,78 NBR	2,00 NBR	2,62 NBR	3,00 NBR	3,20 NBR	3,53 NBR	4,00 NBR	5,00 NBR	5,34 NBR	6,00 NBR	6,35 NBR	7,00 NBR	8,00 NBR	9,00 NBR	10,00 NBR	11,00 NBR	12,00 NBR	13,00 NBR	14,00 NBR	16,00 NBR	17,00 NBR	18,00 NBR	19,00 NBR	20,00 NBR
Ø Corda/Rope	1,78	2	2,62	3	3,2	3,53	4	5	5,35	6	6,35	7	8	9	10	11	12	13	14	16	17	18	19	20


Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON
1,78	1,78	004	2007	•	•	1,78	69,57	039	2275	•	•	2,62	23,47	119	3093	•	•
1,78	2,57	005	2010	•	•	1,78	72,75	040	2287	•	•	2,62	23,81	814	132	•	•
1,78	2,90	006	2012	•	•	1,78	75,92	041	2300	•	•	2,62	25,07	120	3100	•	•
1,78	3,69	007	2015	•	•	1,78	82,27	042	2325	•	•	2,62	26,65	121	3106	•	•
1,78	4,48	008	2018	•	•	1,78	88,62	043	2350	•	•	2,62	28,25	122	3112	•	•
1,78	5,28	009	2021	•	•	1,78	94,97	044	2375	•	•	2,62	29,82	123	3118	•	•
1,78	6,07	010	2025	•	•	1,78	101,37	045	2400	•	•	2,62	31,42	124	3125	•	•
1,78	6,75	610	106	•	•	1,78	107,67	046	2425	•	•	2,62	32,99	125	3131	•	•
1,78	7,65	011	2031	•	•	1,78	114,02	047	2450	•	•	2,62	34,60	126	3137	•	•
1,78	8,73	611	108	•	•	1,78	120,37	048	2475	•	•	2,62	36,14	127	3143	•	•
1,78	9,25	012	2037	•	•	1,78	126,72	049	2500	•	•	2,62	37,77	128	3150	•	•
1,78	10,82	013	2043	•	•	1,78	133,07	050	2525	•	•	2,62	39,34	129	3156	•	•
1,78	11,11	806	114	•	•							2,62	40,95	130	3162	•	•
1,78	12,42	014	2050	•	•	2,62	1,24	102	-	•	•	2,62	42,52	131	3168	•	•
1,78	14,00	015	2056	•	•	2,62	2,06	103	-	•	•	2,62	44,12	132	3175	•	•
1,78	15,60	016	2062	•	•	2,62	2,84	104	-	•	•	2,62	45,69	133	3181	•	•
1,78	17,17	017	2068	•	•	2,62	3,63	105	-	•	•	2,62	47,30	134	3187	•	•
1,78	18,77	018	2075	•	•	2,62	4,42	106	-	•	•	2,62	48,89	135	3193	•	•
1,78	20,35	019	2081	•	•	2,62	5,23	107	3021	•	•	2,62	50,47	136	3200	•	•
1,78	21,95	020	2087	•	•	2,62	6,02	108	3024	•	•	2,62	52,07	137	3206	•	•
1,78	23,52	021	2093	•	•	2,62	7,59	109	3030	•	•	2,62	53,65	138	3212	•	•
1,78	25,12	022	2100	•	•	2,62	9,19	110	3037	•	•	2,62	55,25	139	3218	•	•
1,78	26,70	023	2106	•	•	2,62	9,92	613	112	•	•	2,62	56,82	140	3225	•	•
1,78	28,30	024	2112	•	•	2,62	10,78	111	3043	•	•	2,62	58,42	141	3231	•	•
1,78	29,87	025	2118	•	•	2,62	11,91	614	115	•	•	2,62	60,00	142	3237	•	•
1,78	31,47	026	2125	•	•	2,62	12,37	112	3050	•	•	2,62	61,60	143	3243	•	•
1,78	33,05	027	2131	•	•	2,62	13,10	615	117	•	•	2,62	63,17	144	3250	•	•
1,78	34,65	028	2137	•	•	2,62	13,95	113	3056	•	•	2,62	64,77	145	3256	•	•
1,78	37,82	029	2150	•	•	2,62	15,08	616	119	•	•	2,62	66,35	146	3262	•	•
1,78	41,00	030	2162	•	•	2,62	15,54	114	3062	•	•	2,62	67,95	147	3268	•	•
1,78	44,17	031	2175	•	•	2,62	15,88	809	121	•	•	2,62	69,52	148	3275	•	•
1,78	47,35	032	2187	•	•	2,62	17,13	115	3068	•	•	2,62	71,12	149	3281	•	•
1,78	50,52	033	2200	•	•	2,62	17,86	617	123	•	•	2,62	72,69	150	3287	•	•
1,78	53,70	034	2212	•	•	2,62	18,72	116	3075	•	•	2,62	75,87	151	3300	•	•
1,78	56,87	035	2225	•	•	2,62	20,21	117	3081	•	•	2,62	82,22	152	3325	•	•
1,78	60,05	036	2237	•	•	2,62	20,63	812	128	•	•	2,62	88,57	153	3350	•	•
1,78	63,22	037	2250	•	•	2,62	21,89	118	3087	•	•	2,62	94,92	154	3375	•	•
1,78	66,40	038	2262	•	•	2,62	22,22	813	130	•	•	2,62	101,27	155	3400	•	•



Materiale: NBR, VITON
Material: NBR, VITON

Esempio di ordinativo: 712 Codice USA / NBR o VITON (indicare il materiale desiderato)
Example of purchasing order: 712 USA Code / NBR or VITON (write desired material)

Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON
2,62	107,62	156	3425	•	•	3,53	46,04	828	150	•	•	3,53	148,82	257	4587	•	•
2,62	113,97	157	3450	•	•	3,53	47,22	225	4187	•	•	3,53	151,99	258	4600	•	•
2,62	120,32	158	3475	•	•	3,53	47,63	829	152	•	•	3,53	158,34	259	4625	•	•
2,62	126,67	159	3500	•	•	3,53	49,21	830	153	•	•	3,53	164,69	260	4650	•	•
2,62	133,02	160	3525	•	•	3,53	50,39	226	4200	•	•	3,53	171,04	261	4675	•	•
2,62	139,37	161	3550	•	•	3,53	50,80	831	155	•	•	3,53	177,39	262	4700	•	•
2,62	145,72	162	3575	•	•	3,53	52,39	832	156	•	•	3,53	183,74	263	4725	•	•
2,62	152,07	163	3600	•	•	3,53	53,57	227	4212	•	•	3,53	190,09	264	4750	•	•
2,62	158,42	164	3625	•	•	3,53	53,98	833	158	•	•	3,53	196,44	265	4775	•	•
2,62	164,77	165	3650	•	•	3,53	55,56	834	159	•	•	3,53	202,79	266	4800	•	•
2,62	171,12	166	3675	•	•	3,53	56,74	228	4225	•	•	3,53	209,14	267	4825	•	•
2,62	177,47	167	3700	•	•	3,53	57,15	835	161	•	•	3,53	215,49	268	4850	•	•
2,62	183,82	168	3725	•	•	3,53	58,74	836	162	•	•	3,53	221,84	269	4875	•	•
2,62	190,17	169	3750	•	•	3,53	59,92	229	4237	•	•	3,53	228,19	270	4900	•	•
2,62	196,52	170	3775	•	•	3,53	60,33	837	164	•	•	3,53	234,54	271	4925	•	•
2,62	202,87	171	3800	•	•	3,53	61,91	838	165	•	•	3,53	240,89	272	4950	•	•
2,62	209,22	172	3825	•	•	3,53	63,09	230	4250	•	•	3,53	247,24	273	4975	•	•
2,62	215,57	173	3850	•	•	3,53	63,50	839	167	•	•	3,53	253,59	274	41000	•	•
2,62	221,92	174	3875	•	•	3,53	65,09	840	168	•	•	3,53	266,29	275	41050	•	•
2,62	228,27	175	3900	•	•	3,53	66,27	231	4262	•	•	3,53	278,99	276	41100	•	•
2,62	234,62	176	3925	•	•	3,53	66,68	841	170	•	•	3,53	291,69	277	41150	•	•
2,62	240,97	177	3950	•	•	3,53	68,26	842	171	•	•	3,53	304,39	278	41200	•	•
2,62	247,32	178	3975	•	•	3,53	69,44	232	4275	•	•	3,53	329,79	279	41300	•	•
						3,53	69,85	843	173	•	•	3,53	355,19	280	41400	•	•
3,53	7,52	203	4028	•	•	3,53	71,44	844	174	•	•	3,53	380,59	281	41500	•	•
3,53	9,12	204	4036	•	•	3,53	72,62	233	4287	•	•	3,53	405,26	282	41600	•	•
3,53	10,69	205	4042	•	•	3,53	73,03	845	176	•	•	3,53	430,66	283	41700	•	•
3,53	12,29	206	4050	•	•	3,53	74,61	846	177	•	•	3,53	456,06	284	41800	•	•
3,53	13,87	207	4055	•	•	3,53	75,80	234	4300	•	•					•	•
3,53	15,47	208	4061	•	•	3,53	78,97	235	4312	•	•	5,34	10,47	309	6042	•	•
3,53	17,04	209	4067	•	•	3,53	82,14	236	4325	•	•	5,34	12,07	310	6050	•	•
3,53	18,64	210	4075	•	•	3,53	85,32	237	4337	•	•	5,34	13,64	311	6055	•	•
3,53	20,22	211	4081	•	•	3,53	88,50	238	4350	•	•	5,34	15,24	312	6060	•	•
3,53	21,82	212	4087	•	•	3,53	91,67	239	4362	•	•	5,34	16,82	313	6065	•	•
3,53	23,40	213	4093	•	•	3,53	94,84	240	4375	•	•	5,34	18,42	314	6075	•	•
3,53	24,99	214	4100	•	•	3,53	98,02	241	4387	•	•	5,34	19,99	315	6080	•	•
3,53	25,80	618	134	•	•	3,53	101,19	242	4400	•	•	5,34	21,59	316	6085	•	•
3,53	26,58	215	4106	•	•	3,53	104,37	243	4412	•	•	5,34	23,17	317	6090	•	•
3,53	28,17	216	4112	•	•	3,53	107,54	244	4425	•	•	5,34	24,77	318	6100	•	•
3,53	29,75	217	4118	•	•	3,53	110,72	245	4437	•	•	5,34	26,34	319	6105	•	•
3,53	31,34	218	4125	•	•	3,53	113,89	246	4450	•	•	5,34	27,94	320	6110	•	•
3,53	32,93	219	4131	•	•	3,53	117,07	247	4462	•	•	5,34	29,52	321	6115	•	•
3,53	34,52	220	4137	•	•	3,53	120,24	248	4475	•	•	5,34	31,12	322	6125	•	•
3,53	36,10	221	4143	•	•	3,53	123,42	249	4487	•	•	5,34	32,69	323	6130	•	•
3,53	37,69	222	4150	•	•	3,53	126,59	250	4500	•	•	5,34	34,29	324	6135	•	•
3,53	39,69	824	144	•	•	3,53	129,77	251	4512	•	•	5,34	37,47	325	6150	•	•




Materiale: NBR, VITON

Material: NBR, VITON


Esempio di ordinativo: 712 Codice USA / NBR o VITON (indicare il materiale desiderato)

Example of purchasing order: 712 USA Code / NBR or VITON (write desired material)

Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON	Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON
5,34	56,52	331	6225	•	•	5,34	164,46	363	6645	•	•	7,00	142,24	434	8562	•	•
5,34	59,69	332	6237	•	•	5,34	170,82	364	6670	•	•	7,00	145,42	435	8587	•	•
5,34	62,87	333	6250	•	•	5,34	177,16	365	6700	•	•	7,00	148,59	436	8587	•	•
5,34	69,22	335	6300	•	•	5,34	183,51	366	6720	•	•	7,00	151,77	437	8600	•	•
5,34	72,39	336	6262	•	•	5,34	189,86	367	6745	•	•	7,00	155,60	872	223	•	•
5,34	74,63	619	6275	•	•	5,34	196,21	368	6775	•	•	7,00	158,12	438	8625	•	•
5,34	75,57	337	6287	•	•	5,34	202,56	369	6795	•	•	7,00	159,50	627	225	•	•
5,34	78,74	338	178	•	•	5,34	208,91	370	6820	•	•	7,00	161,90	874	226	•	•
5,34	79,77	620	6312	•	•	5,34	215,26	371	6850	•	•	7,00	164,47	439	8650	•	•
5,34	81,92	339	181	•	•	5,34	221,61	372	6870	•	•	7,00	166,69	628	228	•	•
5,34	85,09	340	6325	•	•	5,34	227,96	373	6895	•	•	7,00	168,30	876	229	•	•
5,34	88,27	341	6337	•	•	5,34	234,31	374	6920	•	•	7,00	170,82	440	8675	•	•
5,34	89,69	621	6350	•	•	5,34	240,66	375	6945	•	•	7,00	174,60	878	231	•	•
5,34	91,44	342	185	•	•	5,34	247,01	376	6975	•	•	7,00	177,17	441	8700	•	•
5,34	94,62	343	6362	•	•	5,34	253,36	377	6995	•	•	7,00	181,00	880	233	•	•
5,34	97,79	344	6375	•	•	5,34	266,06	378	61050	•	•	7,00	183,52	442	8725	•	•
5,34	100,00	622	6387	•	•	5,34	278,76	379	61100	•	•	7,00	189,87	443	8750	•	•
5,34	100,97	345	189	•	•	5,34	291,46	380	61150	•	•	7,00	193,70	884	237	•	•
5,34	104,14	346	6400	•	•	5,34	304,16	381	61200	•	•	7,00	196,22	444	8775	•	•
5,34	107,32	347	6425	•	•	5,34	329,56	382	61300	•	•	7,00	200,00	886	239	•	•
5,34	109,50	623	193	•	•	5,34	354,96	383	61400	•	•	7,00	205,57	445	8800	•	•
5,34	110,49	348	6437	•	•	5,34	380,36	384	61500	•	•	7,00	208,92	674	8825	•	•
5,34	113,67	349	6450	•	•	5,34	405,26	385	61600	•	•	7,00	215,27	446	8850	•	•
5,34	116,84	350	-	•	•	5,34	430,66	386	61700	•	•	7,00	221,61	676	8875	•	•
5,34	117,50	860	199	•	•	5,34	456,06	387	61800	•	•	7,00	227,97	447	8900	•	•
5,34	120,01	351	-	•	•	5,34	481,41	388	61900	•	•	7,00	234,30	678	8925	•	•
5,34	120,70	861	201	•	•	5,34	506,81	389	62000	•	•	7,00	240,67	448	8950	•	•
5,34	123,19	352	-	•	•	5,34	532,20	390	62100	•	•	7,00	247,00	680	8975	•	•
5,34	123,80	862	203	•	•	5,34	557,61	391	62200	•	•	7,00	253,37	449	81000	•	•
5,34	126,36	353	-	•	•	5,34	582,68	392	62300	•	•	7,00	259,70	682	81025	•	•
5,34	127,00	863	206	•	•	5,34	608,08	393	62400	•	•	7,00	266,07	450	81050	•	•
5,34	129,54	354	-	•	•	5,34	633,48	394	62500	•	•	7,00	272,40	684	81075	•	•
5,34	130,20	864	208	•	•	5,34	658,88	395	62600	•	•	7,00	278,77	451	81100	•	•
5,34	132,71	355	-	•	•					•	•	7,00	285,10	686	81125	•	•
5,34	133,40	865	210	•	•	7,00	113,67	425	8450	•	•	7,00	291,47	452	81150	•	•
5,34	135,90	356	-	•	•	7,00	114,70	624	197	•	•	7,00	297,80	688	81175	•	•
5,34	136,53	866	213	•	•	7,00	116,84	426	8462	•	•	7,00	304,17	453	81200	•	•
5,34	139,07	357	-	•	•	7,00	120,02	427	8475	•	•	7,00	316,87	454	81250	•	•
5,34	139,70	867	215	•	•	7,00	123,19	428	8487	•	•	7,00	329,57	455	81300	•	•
5,34	142,24	358	-	•	•	7,00	124,60	625	204	•	•	7,00	342,27	456	81350	•	•
5,34	142,90	868	217	•	•	7,00	126,37	429	8500	•	•	7,00	354,97	457	81400	•	•
5,34	145,41	359	-	•	•	7,00	129,54	430	8512	•	•	7,00	367,67	458	81450	•	•
5,34	146,10	869	219	•	•	7,00	132,72	431	8525	•	•	7,00	380,37	459	81500	•	•
5,34	149,20	870	221	•	•	7,00	134,50	626	211	•	•	7,00	393,07	460	81550	•	•
5,34	151,76	361	6600	•	•	7,00	135,89	432	8537	•	•	7,00	405,26	461	81600	•	•
5,34	158,11	362	6625	•	•	7,00	139,07	433	8550	•	•	7,00	417,96	462	81650	•	•



Materiale: NBR, VITON
Material: NBR, VITON



Esempio di ordinativo: 712 Codice USA / NBR o VITON (indicare il materiale desiderato)
Example of purchasing order: 712 USA Code / NBR or VITON (write desired material)

Ø Corda (Rope)	Ø INT. (Inside)	CODICE USA (Usa Code)	British	NBR	VITON
7,00	430,66	463	81700	•	•
7,00	443,36	464	81750	•	•
7,00	456,06	465	81800	•	•
7,00	468,76	466	81850	•	•
7,00	481,46	467	81900	•	•
7,00	494,16	468	81950	•	•
7,00	506,86	469	82000	•	•
7,00	532,26	470	82100	•	•
7,00	557,66	471	82200	•	•
7,00	582,68	472	82300	•	•
7,00	608,08	473	82400	•	•
7,00	633,48	474	82500	•	•
7,00	658,88	475	82600	•	•